

Review Date: 29 March 2023

#### 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name: HY-CLOR SPA SANITISER TABLETS

**Shipping Name:** BCDMH, Bromochloro-5,5-dimethylhydantoin

Product Code HYCSPA01-600g, HYCSPA13

UN Number: UN1479
APVMA Product Number: 56160

Recommended Use of the Chemical and Restriction On

**Use:** Disinfectant for Spas and heated pool

Chemical Formula: Bromochloro 5,5 Dimethylimidazolidine 2,4 dione

Supplier: HY-CLOR AUSTRALIA PTY LTD

Street Address: 178 Power Street

Glendenning NSW 2761

**Telephone Number:** 02 8805 2400 (Aus) 09 9732477 (NZ)

After Hours Contact: 0404 859 515 (Aus)

Email Contact: help@hyclor.com.au

Emergency Telephone: 13 11 26 (Australia Poisons Information Centre)

New Zealand 0800 764 766

### 2. HAZARDS IDENTIFICATION

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

Poison Schedule: 6

This material is hazardous according to Safe Work Australia; HAZARDOUS SUBSTANCE.

### Classification of the substance or mixture:

Oxidising Solids – Class 3
Acute Toxicity – Class 2
Skin Corrison /Irritation – Class 1C
Acute Hazard to Aquatic Environment – Acute Class 2



### **Hazard pictograms**

SIGNAL WORD: DANGER

### Hazard Statement(s):

This material is hazardous

**H272:** Oxidiser, May intensify Fire **H302:** Harmful if swallowed

H314: Causes Skin Burn and Eye DamageH318: Provokes Grave Eye DamageProduct Name: Spa Sanitiser Tablets

Review Date: 29th March 2023



Review Date: 29 March 2023

# Safety Data Sheet

H401: Very Toxic to Aquatic Life

Precautionary Statement(s) P210: Keep away from Sparks, No Smoking P220: Store Away from

Combustible Material **P264:** Wash Hands properly after using **P270:** Do not eat, drink or smoke while using this product

P260: Do no breathe Dust, smoke etc.

#### Response:

P370+P378: In case of fire; Use appropriate extinguisher

P301+P312: If Swallowed Call poison centre

P301, P330, P331: If swallowed, rinse mouth, do not induce vomiting

P304+P340: If inhaled, remove victim to fresh air, keep at rest in a comfortable position

P305+P351+P338: If in eyes; Rinse cautiously with water for several minutes. Remove contact lenses

**Related Information** 

DG Class 5.1
Packaging Group III
Hazchem Code 1Y

#### 3. COMPOSITION / INFORMATION ON INGREDIENTS

ComponentPercentCAS NumberBromoChloro-5,5-Dimethylhydantoin96-99%32718-18-6Inert IngredientsUp to 100%

Active as 650g/kg bromine and 280g/kg as Chlorine

#### 4. FIRST AID MEASURES

**General** Keep Victim warm and quiet. Obtain immediate medical care.

Ensure that attending medical personnel are aware of the identity and nature of the product involved, and take precautionary measures to

protect themselves.

Ingestion DO NOT INDUCE VOMITING. Rinse mouth with water and then give

plenty of water to drink. Seek medical attention if large amounts

ingested. Call Poison Centre 13 11 26

**Eye** If in eye(s) wash with large amounts of water for approximately 15

minutes holding eyelid(s) open. Seek medical attention immediately. Remove contaminated clothing and wash skin thoroughly decontaminate

Skin Remove contaminated clothing and wash skin thoroughly decontaminated clothing and

clothing before re-use or discard. If swelling, redness, blistering or

irritation occurs seek medical advice.

**Inhalation** Remove the source of contamination or move the victim to fresh air.

Ensure airways are clear and have qualified person give oxygen through mask if breathing is difficult. If victim has stopped breathing begin artificial respiration, or if heart has stopped, cardiopulmonary

resuscitation. Seek immediate medical attention.

First Aid Facilities Eye wash and normal washroom facilities. First Aid Kit.

Advice to Doctor Treat symptomatically

**Medical Conditions that may** 

Be Aggravated by Exposure Asthma and respiratory and cardiovascular disease



Review Date: 29 March 2023

#### 5. FIRE FIGHTING MEASURES

Hazchem Code 1Y

**Extinguishers** Use flooding amounts of water from a distance. Take care as contact

with water will release toxic chlorine gas. Do not use foam or dry agent. Wear self-contained breathing apparatus (SCBA) and protective clothing.

**Fire Fighting Procedures** 

Hazardous Decomposition Products Decomposes on heating emitting toxic fumes of chlorine as well as

liberating oxygen.

Other precautions Not combustible, however (oxidizer) ignites combustible or organic

materials when in contact. Emits toxic fumes of chlorine as well as liberating oxygen, therefore dangerous in a fire situation. Keep away from heat, sparks or naked flames. Heating may cause explosion.

Contact with acids or strong alkalis may generate heat.

#### 6. ACCIDENTAL RELEASE MEASURES

Spills Evacuate all unnecessary personnel. Wear protective clothing as

specified in the Personnel Protection section of the SDS. Sweep up material and place into a suitable labelled container. Collect with spark free tools, avoid the creation of dust. Mop up the remaining material and place into the same container. If large quantities of the material enter the waterways contact the Environmental Protection Authority, or your local

Waste Management Authority

#### 7. HANDLING AND STORAGE

**Handling** Avoid skin and eye contact and inhalation of dust. Wear appropriate

protective equipment and clothing. Use in a well ventilated area. Avoid spillage onto floor. Keep containers closed when not in use. Maintain personal hygiene by washing hands prior to eating, drinking, smoking or

using toilet.

Storage Store in a cool, dry, well ventilated area, out of direct sunlight. Store in

suitable, labelled containers. Avoid any dust build-up by frequent cleaning and suitable construction of storage area. Keep storage separated from work areas. Inspect periodically for deficiencies such as

damage or leaks.

**Incompatibilities** Store away from organic and/or combustible agents.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Exposure Standards** No ingredients in this product have exposure standards, as outlined in

the standard *Exposure Standards for Atmospheric Contaminants in the Occupational Environment* third edition, published by the National

Occupational health and Safety Commissions/AGPS,1995.

**Engineering Measures** Avoid generating and inhaling dusts. Use in a well ventilated area only.

Keep containers in a well ventilated area. Local exhaust ventilations

system may be required, especially if chlorine gas evolved.

**Personal Protection Equipment** 

Clothing Suitable protective clothing should be worn e.g. cotton overalls and

safety shoes.

**Skin Protection** Impervious PVC or rubber gloves should be worn.

**Eye Protection** Safety glasses with side shields or goggles should be worn.

**Respiratory Protection** If dust exists, wear respirator meeting the requirements of AS/NZS 1716. Product Name: Spa Sanitiser Tablets Review Date: 29th March 2023



Review Date: 29 March 2023

**Personal Hygiene** Ensure a high level of personal hygiene is maintained when using this

product. Always wash hands before eating, drinking, smoking or using

the toilet.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Solid, Odourless White

Boiling Point N/A

Freezing/Melting Point N/A

Vapour Pressure N/A
Specific Gravity N/A
Flash Point N/A
Upper Flammability Limit N/A
Lower Flammability Limit N/A

Solubility in Water Appreciable 9.5 0.15 % w/w

#### **10. STABILITY AND REACTIVITY**

Chemical Stability Rapidly decomposes on exposure to air. May decompose violently if

exposed to heat or direct sunlight. Thermally unstable.

**Conditions to Avoid** Avoid high temperatures and high humidity.

Incompatible Material Reactive or incompatible with the following materials, oxidising materials,

reducing materials, combustible materials, acids, aklais and moisture.

Contact with acids liberates toxic gas.

**Hazardous Decomposition** 

**Products** Thermal decomposition products include toxic chlorine gas.

#### 11. TOXICOLOGICAL INFORMATION

**Toxicology Information** Dermal LD 50 (rabbit) > 2000 mg/kg

Oral LD 50 (rat) = 485 mg/kg

Acute Effects Swallowed

Harmful or fatal if swallowed. Ingestion may cause nausea, vomiting, shock and coma. Corrosive. Will cause severe damage to the mucous membranes, including irritation and/or burns to the entire gastrointestinal tract. This is characterised by nausea, vomiting, diarrhea, abdominal pain, bleeding and/or tissue ulceration. May also cause circulatory collapse, cyanosis, shock, confusion, delirium and swelling of the throat or tongue

resulting in obstruction of the airway.

**Skin** Harmful in contact with skin. Corrosive to skin – causes burns. Dermal

exposure can cause severe irritation and/or burns characterised by redness, swelling and scab formation. Skin contact may also cause

eruptions and eczema.

Eye Causes burns and is a severe eye irritant. Contact may cause impairment

of vision or corneal damage.

**Inhaled** The vapour is an irritant to the mucous membranes and respiratory tract.

Inhalation of dust will result in respiratory irritation. Inhalation may result in headaches, dizziness and possible nausea. May also cause burns to the respiratory tract with the production of lung edema which can result in shortness of breath, wheezing, choking, chest pain and impairment of lung



Review Date: 29 March 2023

function. Inhalation of high concentrations can result in permanent lung

damage.

Long Term Effects Prolonged skin exposure may cause destruction of the dermis with

impairment of the skin at site of contact to regenerate.

#### 12. ECOLOGICAL INFORMATION

**Ecotoxicity** Highly toxic to aquatic life. Avoid contaminating waterways.

#### 13. DISPOSAL CONSIDERATIONS

**Disposal Methods and Containers** Dispose of according to relevant local, state and federal

government regulations.

Special Precautions for Landfill Contact a specialist disposal company for landfill.

#### 14. TRANSPORT INFORMATION

UN Number 1479 Land Transport ADG

**UN Proper Shipping Name** Bromochloro-5-5 Dimethyhydantoin

**Dangerous Goods Class** 5.1 Oxidising Substance

Packing Group III
Hazchem Code 1Y

**Special Precaution to User** This material is classified as a Class 5.1 Dangerous Good according to the Australian Code for the Transport of Dangerous Goods. Class 5.1 oxidising agents shall not be

loaded or packed in the same vehicle or freight as

Class 1 Explosives

Class 2.1 Flammable Gases
Class 2.3 Toxic Gases
Class 3 Flammable Liquids
Class 4.1 Flammable Solids

Class 4.2 Spontaneously Combustible Substances
Class 4.3 Dangerous when Wet Substances

Class 5.2 Organic Peroxides

Class 6 Toxic Substances (where the toxic substances are fire risk substances)

Class 7 Radioactive Substances

Class 8 Corrosive Substances (Certain Exemptions Apply)

Class 9 Miscellaneous Dangerous Goods (where the miscellaneous dangerous goods are fire risk

substances or Combustible Liquids).

#### 15. REGULATORY INFORMATION

Poisons Schedule 6

Standard (Scheduling):

APVMA Product Number: 56160

**Listing in the**Not applicable for APVMA registered products

**Australian Inventory** 

of Chemical Substances(AICS)



### Safety Data Sheet Review Date: 29 March 2023

16. OTHER INFORMATION

ADG Australian Code for the Transport of Dangerous Goods by

Road & Rail Edition 7.5, 2017

AS/NZS Australian Standard/New Zealand Standard

CAS Number: Unique Chemical Abstracts Service Registry Number

EC<sub>50</sub>: Ecotoxic Concentration 50% – concentration in water which is fatal to

50% of a test population (e.g. daphnia, fish species). Globally Harmonized System of classification and

GHS: Globally Harmonized System labelling of chemicals (GHS)

Hazchem Code: Emergency action code of numbers and letters that

provide information to emergency services, especially

fire fighters

HCIS: Hazardous Chemical Information System

(http://hcis.safeworkaustralia.gov.au/HazardousChemical)

IARC: International Agency for Research on Cancer

**LD**<sub>50</sub>: Lethal Dose 50% – dose which is fatal to 50% of a test population

(usually rats).

IDLH: Immediately dangerous to life or health (IDLH) is defined by

the US National Institute for Occupational Safety and Health

(NIOSH)

**LC**<sub>50</sub>: Lethal Concentration 50% – concentration in air which is fatal to 50%

of a test population.

NTP: National Toxicology Program (USA)

SDS: Safety Data Sheet

STEL: Short term exposure limit (STEL) means the time-weighted

average maximum airborne concentration of a substance

calculated over a 15 minute period.

TWA: 8-hour Time-weighted average (TWA) means the maximum

average airborne concentration of a substance when calculated over an eight- hour working day, for a five-day working week.

**WES:** Workplace exposure standard

**UN Number:** United Nations Dangerous Goods Number

#### References:

Work Safe Australia Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice (February 2016). The exposure standards comply with the New Zealand and Australian Workplace Exposure Standards for Airborne Contaminants. The Dangerous Goods Classification complies with the Australian Code for the Transport of Dangerous Goods by Road & Rail Edition 7.5, 2017. Other information from ChemIDPlus and linked databases. European Chemicals Agency Classification and Labelling database. OECD SIDS.

Sections Revised: All

Replaces revision: January 2023

Disclaimer

This Safety Data Sheet (SDS) has been prepared in compliance with the Work Safe Australia Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice (February 2016). The information in

this SDS should be provided to all who will use, handle, store, transport, or otherwise be exposed to this product. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. HY-CLOR Australia Pty. Limited shall not be held liable for any damage resulting from handling or from contact with the above product.



Review Date: 29 March 2023

Copyright 2018 HY-CLOR Australia Pty. Limited. License granted to make unlimited paper copies for internal use only.

Mr Mark Sheridan Technical Regulations Manager

Telephone: Australia + 61 2 8805 2400

New Zealand + 64 9 973 2477