

25 August 2021

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER	
Product Name: Chemical Name: Product Code:	HY-CLOR LONGLIFE ALGAECIDE 1L Copper Sulphate Pentahydrate HYCALG01-1L
Recommended Use of the Chemical and Restrictions on Use:	Algaecide for swimming pools
Supplier: Street Address:	HY-CLOR AUSTRALIA PTY LIMITED 178 Power Street Glendenning NSW 2761
Telephone Number: After Hours Contact: Facsimile: Email Contact: Emergency Telephone:	(02) 8805 2400 0404 859 515 (02) 8805 2401 <u>help@hyclor.com.au</u> 13 11 26 (Australia Poisons Information Centre)
Please ensure you refer to the limitation	ons of this Safety Data Sheet as set out in the "Other Information"

2. HAZARD IDENTIFICATION

Classified as hazardous according to the criteria of the GHS as adopted in Australia. Not a Dangerous Good according to ADG 7.5.

Poisons Schedule: S5. SIGNAL WORD: DANGER

GHS Hazard Statement(s)

Eye damage/Irritation – Category 1 (HSNO class 5.1.1B)

Skin corrosion/Irritation – Category 1B(HSNO class 8.2B)

Precautionary statements

Prevention: P233: Keep container closed. P262: Do not get in eyes, on skin, or on clothing. P264: Wash contacted areas thoroughly after handling.

Product Name: Hy-Clor Longlife Algaecide 1L

Review Date 25 August 2021



25 August 2021

P270: Do not eat, drink or smoke when using this product.

P271: Use only outdoors or in a well-ventilated area.

P273: Avoid release to the environment.

P281: Use personal protective equipment as required.

Response:

P 302+P352: IF ON SKIN, Wash with plenty of water.

P301+P312: IF SWALLOWED, call a POISON CENTRE or doctor if you feel unwell.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P370+P378: In case of fire, use extinguishing media suited to burning materials

Storage:

P405: Store locked up.

Disposal:

P501: For large quantities use a commercial waste disposal service if recycling or reclaiming is not possible



Hazard pictograms

Signal word

Danger

Keep out of reach of Children Read Label before use If medical advice is needed, have product container or label at hand.



3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient	CAS Number	Concentration (% w/w)
Copper Sulphate Pentahydrate	7758-99-8	4%
Inert Ingredients		Balance

4. FIRST AID MEASURES

For advice, contact a Poisons Information Centre. Phone Australia 13 11 26 or a doctor. Have this SDS when you call.

Swallowed:	Do not induce vomiting unless advised to do so from, a medical practitioner. Wash out mouth with water and give plenty of water to drink. Seek medical attention.
Skin:	Wash affected area thoroughly with soap and water. Remove contaminated clothing and wash before reuse or discard. If irritation occurs seek immediate medical attention.
Eye:	If contact with the eye(s) occurs, or if eye irritation arises, wash with copious amounts of water holding eyelid(s) open. Take care not to rinse contaminated water into the non-affected eye. If irritation occurs seek immediate medical attention.
Inhaled:	If inhalation occurs, contact a Poisons Information Centre, or call a doctor. Remove source of contamination or move victim to fresh air. If breathing is difficult, oxygen may be beneficial.
Note to Physician	Treat symptomatically

5. FIRE FIGHTING MEASURES

Suitable extinguishing media:	Not combustible. Use extinguishing media suited to burning materials
Special hazards arising from the chemical:	Only small quantities of decomposition products are expected from the product at temperatures normally achieved in a fire. This will occur after heating to dryness. Fire decomposition products from this product may be toxic if inhaled. Take appropriate protective measures.



25 August 2021

Special protective equipment
and precautions for fireIn confined areas or areas of excessive smoke, fire
fighter must wear full protection and self-contained
breathing apparatus and protective clothing

Hazchem Code:

None

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedure	In the event of a major spill, prevent spillage from entering drains or water courses and call emergency services. Wear full protective clothing including eye/face protection.
Environmental precautions	Keep spilt products out of drains, sewers and waterways. If large quantities of this material enter the waterways contact the Environmental Protection Authority, or your local Waste Management Authority.
Methods and materials for containment and cleaning up	For minor spills, contain and absorb with inert materials (sand, earth), sweep up, place contaminated material in a sealed container and place in garbage. Wash area down with excess water.

7. HANDLING AND STORAGE

Precautions for safe handling	Avoid skin and eye contact and breathing in vapour, mists and aerosols. Use a well-ventilated area. Avoid spillage onto floor. Keep containers closed when not in use. Maintain personal hygiene by washing hands prior to eating, drinking, smoking or using toilet.
Safe storage, including any incompatibilities	Store in a cool, dry, well ventilated area, out of direct sunlight. Store in suitable, labelled containers. Inspect periodically for deficiencies such as damage or leaks. Keep out of reach of children. Store away from incompatible substances.

EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational Exposure Limits: No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems

Product Name: Hy-Clor Longlife Algaecide 1L



25 August 2021

Exposure controls: No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems.

Appropriate Engineering Controls:

No special ventilation requirements are normally necessary for this product. However, make sure that the work environment remains clean and that vapours and mists are minimized.

Personal Protective equipment - for manufacturing and bulk handling situations:

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

Clothing: Skin Protection:	Wear overalls clothing including chemical resistant apron where clothing is likely to be contaminated. Wear gloves of impervious material such as PVC, neoprene or nitrile. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken.
Eye Protection:	Tightly fitting safety goggles or full-faced shields as appropriate recommended. Final choice of appropriate eye/face protection will vary according to individual circumstances i.e. methods of handling or engineering controls and according to risk assessments undertaken.
Respiratory Protection:	Respiratory protection is not normally necessary, unless the production of mists is significant. In such cases, a suitable respirator may be worn that meets the requirements of AS/NZS 1715 and AS/NZS 1716.
Personal Hygiene:	Always wash hands after handling this product.



25 August 2021

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Dark Blue Liquid	Vapour pressure:	2.37 kPa at 20°C (water vapour pressure)
Odour: pH: Melting point / freezing point:	Mild Odour 1.2 (10% solution) Not applicable	Relative density: Water solubility: Partition coefficient n- octanol/water:	No data found Completely soluble Not applicable, inorganic compound
Initial boiling point and boiling range:	~ 101°C	Auto-ignition temperature:	Not applicable
Flash point:	Not flammable	Decomposition temperature:	No data found
Evaporation rate:	No data found	Viscosity:	No data found
Flammability:	Not flammable	Explosive properties:	Not explosive
Upper/lower flammability limits:	Not flammable	Oxidising properties:	Not an oxidiser
Vapour pressure:	No data found		

10. STABILITY AND REACTIVITY

Reactivity: Chemical Stability:	This product is stable This product is stable and unlikely to react or decompose under normal circumstances.
Possibility of hazardous reactions:	Only small quantities of decomposition products are expected from this product at temperatures normally achieved in a fire. This will only occur after heating to dryness. Nitrogen and its compounds, and under some circumstances, oxides of nitrogen, occasionally hydrogen cyanide gas. Oxides of sulphur and other sulphur compounds. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgement, and unconsciousness followed by death.
Conditions to avoid: Incompatible materials:	Extremes of temperature and direct sunlight. Strong oxidising agents. Strong acids.

Product Name: Hy-Clor Longlife Algaecide 1L



11. TOXICOLOGICAL INFORMATION

No data available for the product. Information given is based on the benzalkonium chloride (C_{12} - C_{16} alkyl dimethyl benzyl ammonium chloride) component.

Acute Oral	Metallic taste in mouth. Burning sensation in throat and vomiting are typical effects. More severe poisoning causes irritation in digestive tract with abdominal pain, nausea, vomiting, ulceration and diarrhoea
Skin corrosion/irritation	Contact with skin may result in irritation
Serious eye damage/eye irritation	May cause eye irritation and inflammation
Inhalation	May cause irritation of the nose and upper airways
Respiratory or skin sensitisation	Not mutagenic or genotoxic
Mutagenicity	No data found
Reproduction/Development	Not carcinogenic based on rat and mice studies
Carcinogenicity	Not considered to be a carcinogenic hazard
Specific target organ toxicity - single exposure	No data found
Specific target organ toxicity - repeated exposure	No data found
Aspiration hazard	No data found



12. ECOLOGICAL INFORMATION

This product is harmful to organic organisms. This product is not biodegradable; it may accumulate in the soil or water and cause long term problems.

13. DISPOSAL CONSIDERATIONS

Disposal: Rinse empty containers in the pool and dispose of by wrapping with paper and putting in garbage. For larger quantities, refer to Refer to local government authority for disposal recommendations. Dispose of material through a licensed waste contractor. Normally suitable for disposal at approved land waste site..

14. TRANSPORT INFORMATION

This product is not classified as a Dangerous Good by ADG, IATA or IMDG,IMSBC criteria. No special transport conditions are necessary unless required by other regulations.

Consult the ADG 7.5, IMDG and ICAO/IATA Codes for all the transport requirements for the specified UN Number.

15. REGULATORY INFORMATION

Poisons Standard (Scheduling):	Schedule 5
APVMA Product Number:	59579

16.OTHER INFORMATION

ADG	Australian Code for the Transport of Dangerous Goods by Road & Rail Edition 7.5, 2017
AS/NZS	Australian Standard/New Zealand Standard
CAS Number:	Unique Chemical Abstracts Service Registry Number

Product Name: Hy-Clor Longlife Algaecide 1L

Review Date 25 August 2021



	Safety Data Sheet	25 August 2021
EC ₅₀ :	Ecotoxic Concentration 50% – concentration in water which is fatal to 50% of a test population (e.g. daphnia, fish species).	
GHS:	Globally Harmonized System of classification and chemicals (GHS)	• •
Hazchem Code:	Emergency action code of numbers and letters the information to emergency services, especially fire	
HCIS:	Hazardous Chemical Information System (http://hcis.safeworkaustralia.gov.au/HazardousC	-
IARC:	International Agency for Research on Cancer	,
LD ₅₀ :	Lethal Dose 50% – dose which is fatal to 50% of population (usually rats).	a test
IDLH:	Immediately dangerous to life or health (IDLH) is the US National Institute for Occupational Safety (NIOSH)	
LC ₅₀ :	Lethal Concentration 50% – concentration in air w to 50% of a test population.	hich is fatal
NTP:	National Toxicology Program (USA)	
SDS:	Safety Data Sheet	
STEL:	Short term exposure limit (STEL) means the time- average maximum airborne concentration of a sul calculated over a 15 minute period.	
TWA:	8-hour Time-weighted average (TWA) means the average airborne concentration of a substance wh calculated over an eight-hour working day, for a fi working week.	nen
WES:	Workplace exposure standard	
UN Number:	United Nations Dangerous Goods Number	

References:

Work Safe Australia Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice (February 2016). The exposure standards comply with the New Zealand and Australian Workplace Exposure Standards for Airborne Contaminants. The Dangerous Goods Classification complies with the Australian Code for the Transport of Dangerous Goods by Road & Rail Edition 7.5, 2017. Other information from ChemIDPlus and linked databases. European Chemicals Agency Classification and Labelling database.

Sections Revised: All

Replaces revision: 10th October 2017

Disclaimer

Product Name: Hy-Clor Longlife Algaecide 1L



25 August 2021

This Safety Data Sheet (SDS) has been prepared in compliance with the Work Safe Australia Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice (February 2016). The information in this SDS should be provided to all who will use, handle, store, transport, or otherwise be exposed to this product. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Hy-Clor Australia Pty. Limited shall not be held liable for any damage resulting from handling or from contact with the above product.

Copyright 2018 Hy-Clor Australia Pty. Limited. License granted to make unlimited paper copies for internal use only.