

Safety Data Sheet Review Date: 25 August 2021

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

HY-CLOR SUPER SHOCK 2KG Product Name:

Hy-Clor Granular Pool Chlorine

Other Name: Calcium Hypochlorite **Chemical Name:** calcium; dihypochlorite Synonyms: HYCSUP10 X 2KG

Product Code:

Swimming Pool disinfectant and Sanitiser

Recommended Use of the Chemical and Restrictions on

Use:

Supplier: HY-CLOR AUSTRALIA PTY LTD

Street Address: 178 Power Street

Glendenning NSW 2761

Telephone Number: 02 8805 2400 **After Hours Contact:** 0404 859 515 Facsimile: 02 8805 2401

Email Contact: help@hyclor.com.au

Emergency Telephone: 13 11 26 (Australia Poisons Information Centre)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information"

2. HAZARDS IDENTIFICATION

Classified as hazardous according to the criteria of the GHS as adopted in Australia. A Dangerous Good according to ADG 7.5.

Poisons Schedule: S6. SIGNAL WORD: Poison **GHS Hazard Statement(s)**

Oxidising Solid Category 2 H272 May Intensify fire: oxidizer

Acute Oral Toxicity Category 4 H302 Harmful if swallowed

Eye irritation/corrosion Category 1 H318 Causes serious eye damage

Skin Corrosion irritation Category 1B H314 Causes severe skin burns and eye

damage

Aquatic acute toxicity Category 1 H400 Very Toxic to the aquatic life

Prevention:

P210: Keep away from heat. Precautionary

statements P220: Keep/Store away from clothing, other chemicals, acids and

combustible materials such as paper, fabric, sawdust or kerosene.

P221: Take any precaution to avoid mixing with combustibles, acids and

other chemicals ...

P260: Do not breathe mists.

P264: Wash face and hands thoroughly after handling. P270: Do not eat, drink or smoke when using this product.

P280: Wear protective gloves/ eye protection/ face

protection.

P273: Avoid release to the environment. - if this is not the intended use.

Review Date: 25 August 2021 Product Name: Hy-Clor Super Shock 2KG

> Version 3.0 Page 1 of 9



Response:

P301 + P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P330: Rinse mouth.

P301 + P330 + P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Review Date: 25 August 2021

P303 + P361 + P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P363: Wash contaminated clothing before reuse.

P304 + P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P310: Immediately call a POISON CENTER or doctor/ physician.
P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P370+P378: In case of fire: Use water for extinction.

P391: Collect spillage.

Storage:

P405: Store locked up.

Disposal:

P501: Dispose of contents/container in accordance with local & regional waste disposal legislation







Hazard pictograms

Signal word Danger

Label Statements:	Keep out of reach of Children
	Read Label before use
	If medical advice is needed, have product
	container or label at hand.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient	CAS Number	Concentration (% w/w)
Calcium Hypochlorite	7778-54-3	70
Not contributing to the product hazard		Balance

Product Name: Hy-Clor Super Shock 2KG Review Date: 25 August 2021

Version 3.0 Page **2** of **9**



4. FIRST AID MEASURES

If poisoning occurs, or medical advice needed contact a Poisons Information Centre. Phone Australia 13 1126 or a doctor. Have this SDS when you call.

Swallowed: Do not induce vomiting unless advised to do so from, a medical

practitioner. Give a glass of water. Wash out mouth with water.

Seek medical attention.

Skin: Wash affected area thoroughly with soap and water. Remove

contaminated clothing and wash before reuse or discard. If irritation

Review Date: 25 August 2021

occurs seek immediate medical attention.

Eye: If in eyes, hold eyes open, flood with water for at least 15 minutes.

Take care not to rinse contaminated water into the non-affected eye.

If irritation occurs seek immediate medical attention.

Inhaled: Remove from contaminated area. If symptoms develop seek medical

attention.

Note to Treat symptomatically

Physician

5. FIRE FIGHTING MEASURES

Suitable extinguishing media: Special hazards arising from the chemical: Flooding water spray. Do not use foam or dry agent. Inhalation, ingestion or contact (skin, eyes) with vapors or substance may cause severe injury, burns or death. Fire may produce irritating, corrosive and/or toxic gases. Carbon monoxide (in conditions of incomplete combustion), carbon dioxide, nitrogen oxides and hydrogen chloride may be produced if water in the product boils off. May accelerate burning when involved in a fire. May decompose explosively when heated or involved in a fire. May explode from heat or

contamination. May react explosively with hydrocarbons (fuels). May ignite combustibles (wood, paper, oil, clothing, etc.). Containers may explode when heated. Runoff may create fire or explosion hazard. Runoff from

fire control or dilution water may cause pollution.

Special protective equipment and precautions for fire firefighters:

The product is not combustible. However, after evaporation of water in the product, the residue may be combustible. In confined areas or areas of excessive smoke, fire fighter must wear full protection and self-

contained breathing apparatus.

Hazchem Code: 1W

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedure

Evacuate the area. Avoid skin and eye contact and inhalation of dust. Wear appropriate protective equipment and clothing – See section 8. Use in a well ventilated area. Avoid spillage onto floor. Keep containers closed when not in use.

Environmental precautions

Keep spilt products out of drains, sewers and waterways. If large quantities of this material enter the waterways contact the Environmental Protection Authority, or your local Waste Management Authority.

Product Name: Hy-Clor Super Shock 2KG Review Date: 25 August 2021

Version 3.0 Page 3 of 9



Methods and materials for containment and cleaning up

For minor spills, contain and absorb with inert materials (sand, earth), sweep up, place contaminated material in a sealed container and place in garbage. Wash area down with excess water.

Review Date: 25 August 2021

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid skin and eye contact and breathing in dust. Immediately change

contaminated clothing.

Safe storage, including any incompatibilities

Store in a cool, dry well-ventilated area, out of direct sunlight. Store in labelled, original containers. Keep containers tightly closed. Do not allow into contract with water. Store away from sources of ignition, heat and incompatible materials described in Section 10.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational Exposure Limits: Exposure limits have not been established by Safe Work

Australia for this product or any of its components. It is appropriate to apply the exposure standard for nuisance dusts of 10 mg/m3, measured as inhalable dust (8 hour TWA).

Workplace Exposure Standard(s) for decomposition product(s) are:

Chlorine: TWA Peak Limitation = 3 mg/m³ (1 ppm)

Hydrogen chloride: TWA = 7.5 mg/m³ (5 ppm)

• Nitrogen oxides: Nitrous oxide. TWA = 31 mg/m³ (25 ppm).

Nitrogen dioxide TWA – 5.6 mg/m³ (3 ppm). STEL 9.4 mg/m³ (5 ppm)

• Carbon oxides: carbon dioxide: TWA = 9g/m³ (5000 ppm).

carbon monoxide: $TWA = 34 \text{ mg/m}^3$ (30 ppm).

Exposure controls

Appropriate Engineering Controls:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Personal Protective equipment - for manufacturing and bulk handling situations:

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

Skin Protection: Wear gloves of impervious material such as nitrile

rubber (glove thickness 0.11 mm & breakthrough time > 480 min) that comply with AS/NZS 2126. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to

risk assessments undertaken.

Eye Protection: Tightly fitting safety goggles or full-faced shields as

appropriate recommended and that comply with AS/NZS 1336 and 1337. Final choice of appropriate eye/face protection will vary according to individual circumstances i.e. methods of handling or engineering controls and

according to risk assessments undertaken.

Respiratory Protection: Respiratory protection is not normally necessary, unless

the production of dust is significant. In such cases, a suitable respirator may be worn that meets the

requirements of AS/NZS 1715 and 1716.

Product Name: Hy-Clor Super Shock 2KG Review Date: 25 August 2021

Version 3.0 Page 4 of 9



Always wash hands after handling this product.

Review Date: 25 August 2021

Precautions for safe

Personal Hygiene:

handling

Avoid skin and eye contact and inhalation of dust. appropriate protective equipment and clothing. Use in a well ventilated area. Avoid spillage onto floor. Keep containers closed when not in use. Keep workplace dry. Maintain personal hygiene by washing hands prior to eating, drinking, smoking or using toilet.

Safe storage, including any incompatibilities

Store in a cool, dry well-ventilated area, out of direct sunlight. Store in labelled, original containers. Keep containers tightly closed. Store away from incompatible materials described in Section 10.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White to cream, dry Vapour density:

free flowing powder Chlorine Odour:

pH: 10-11.5 at 1% solution

~ 100°C

Not applicable

Not flammable

No data found

Not flammable

Melting point /

freezing point:

Initial boiling point

and boiling range:

Flash point:

Evaporation rate:

Flammability:

Not flammable

Upper/lower flammability limits:

Vapour pressure:

No data found

No data found

No data found Relative density: Water solubility: 200 g/L at 20°C Partition coefficient Not applicable, n-octanol/water: inorganic compound **Auto-ignition** Not applicable

temperature: **Decomposition**

temperature: Viscosity:

Not applicable **Explosive** May explode when in

'>177 °C

properties: contact with incompatible substances

Oxidising properties: GHS Cat 2 oxidiser

10. STABILITY AND REACTIVITY

Reactivity: Oxidising agent. Violent explosions possible

Chemical Stability: This product is stable and unlikely to react or decompose under normal circumstances. In a fire and reactive

Possibility of hazardous reactions:

conditions chlorine gas evolves. A risk of explosion and/or of toxic gas formation exists with the following substances: Water, acids ferric oxide, ethanol, glycerol, Methanol, carbon/soot, Organic Substances, acetic acid,

with, potassium cyanide

Violent reactions possible with: phenol, combustible substances, Alcohols, Alkali metals, Amines, ammonium compounds, Halogenated hydrocarbon, mercaptans, metallic oxides, organic nitro compounds, Reducing agents,

sulphur.

Conditions to avoid: Heating.

Incompatible materials: See possibility of hazardous reactions.

11. TOXICOLOGICAL INFORMATION

Product Name: Hy-Clor Super Shock 2KG Review Date: 25 August 2021

> Page 5 of 9 Version 3.0



Review Date: 25 August 2021

No data available for the product. Information given is based on the calcium hypochlorite component (70% w/w).

Acute Oral

Harmful if swallowed. Ingestion may cause nausea, vomiting, shock and coma. Corrosive. Will cause severe damage to the mucous membranes, including irritation and/or burns to the entire gastrointestinal tract. This is characterised by nausea, vomiting, diarrhea, abdominal pain, bleeding and/or tissue ulceration. May also cause circulatory collapse, cyanosis, shock, confusion, delirium and swelling of the throat or tongue resulting in

obstruction of the airway. Oral LD50 (rat) = 790 mg/kg.

Acute Dermal

Dermal LD50 (rat) > 2000mg/kg

Skin corrosion/irritation

Corrosive to skin – causes burns. Dermal exposure can cause severe irritation and/or burns characterised by redness, swelling and scab formation. Skin contact may also cause eruptions and eczema.

Serious eye damage/eye irritation

Causes burns and is a severe eye irritant. Contact may cause impairment of vision or corneal damage.

Inhalation

The vapour is an irritant to the mucous membranes and respiratory tract. Inhalation of dust will result in respiratory irritation. Inhalation may result in headaches, dizziness and possible nausea. May also cause burns to the respiratory tract with the production of lung edema which can result in shortness of breath, wheezing, choking, chest pain and impairment of lung function. Inhalation of high concentrations can result in permanent lung damage. Inhalation exposures to concentrations of greater than about 500 ppm (10 min or more) may be fatal

Respiratory or skin sensitisation

Inhalation of mist may result in respiratory irritation. No data found for skin or respiratory sensitisation

Mutagenicity

Chromosomal aberrations were analyzed in Chinese hamster cells treated for 24 or 48 hours with three different doses of calcium hypochlorite, in the absence of metabolic activation. A positive increase in chromosomal aberrations was observed only in a culture treated with 0.5 ug/mL (6.7 mol/L = approx. 3.5 umol/L active chlorine) for 48 hours.

Reproduction/Development

No reproductive toxic effects were shown up to 5 mg/kg (highest dose tested) of sodium salt (equivalent to 4.8 mg/kg of Calcium salt) in a one generation oral study in rats. No evidence of adverse developmental effects were reported in animals. Moreover, epidemiological studies in humans did not show any evidence of toxic effects on reproduction and development.

Carcinogenicity

No carcinogenicity was observed in mice or rats exposed by inhalation to chlorine and orally to sodium hypochlorite, except some equivocal results were reported for female rats by oral route. For human carcinogenicity, no causal relationship between hypochlorite exposure and tumor incidence was observed. The observation is applicable to calcium hypochlorite.

Specific target organ toxicity - single exposure

Moderate depression of the central nervous system was found at 1 hour after administration. Most survivors

Product Name: Hy-Clor Super Shock 2KG Review Date: 25 August 2021

for rats.

Version 3.0 Page 6 of 9



Review Date: 25 August 2021

showed a mild to moderate persistent anorexia. Most affected animals showed diarrhea for several days.

Specific target organ toxicity - repeated exposure

A NOAEL (chronic) can be calculated to be approximately 14 mg available chlorine /kg bw/day for rats and 22.5 mg

available chlorine /kg bw/day for mice.

Aspiration hazard Not considered to be an aspiration hazard.

12. ECOLOGICAL INFORMATION

No data available for the product. Information given is based on the calcium hypochlorite component (70% w/w).

Aquatic toxicity	LC ₅₀ for <i>Ceriodaphnia dubia</i> is 5 μ g FAC/L (FAC=Free available chlorine). Adequate standard acute tests in fish are not available. Data for TRC (total residual chlorine = the sum of combined and free residual available chlorine) - 96h LC ₅₀ = 60 μ g TRC/L and 168h LC ₅₀ = 330 μ g TRC/L.
	Lowest result for algae is reported for <i>Thalassiosira</i> pseudonana with a IC ₅₀ of 75 μg/L (20°C).
	Long-term toxicity to freshwater organisms: lowest NOEC = 5 μg/L (<i>Ictalurus punctatus</i> , 133d, growth).
	In microcosm and field studies the most sensitive parameter was the density of zooplankton with a NOEC of 1.5 µg TRC/L.,
	Salt water: fish (<i>Oncorhynchus kisutch</i>) 96 h LC ₅₀ = 32 μg TRO/L) (TRO = Total Residual Oxidant) Molluscs: are more 15d NOEC of 6.2 μg TRO/L.
Persistence and degradability	High water solubility and rapid reaction with organic matter leads to rapid disappearance of the hypochlorite moiety. Biodegradation of this substance cannot be measured
Bioaccumulative potential:	The bioaccumulation potential of this substance can be disregarded, because of its water solubility and its high reactivity.
Mobility in soil	substance decomposes rapidly in each compartment (air, water, soil and sediment). Therefore, this substance itself does not exist in nature.
PBT identification:	This product is not identified as a PBT/vPvB substance.
Other adverse effects:	None known.

13. DISPOSAL CONSIDERATIONS

Disposal: Rinse empty containers in the pool and dispose of by wrapping with paper and putting in garbage. For larger quantities, refer to Refer to local government authority for disposal recommendations. Dispose of material through a licensed waste contractor.

Product Name: Hy-Clor Super Shock 2KG Review Date: 25 August 2021

Version 3.0 Page **7** of **9**



Review Date: 25 August 2021

Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

14. TRANSPORT INFORMATION

Consult the ADG 7.5, IMDG and ICAO/IATA Codes for all the transport requirements for the specified UN Number.

	Land Transport (ADG 7.5)	Sea Transport (IMDG)	Air Transport (ICAO/IATA)
UN Number	2880	2880	2880
UN proper shipping name	CALCIUM HYPOCHLORITE, HYDRATED MIXTURE with not less than 5.5% but not more than 16% water	CALCIUM HYPOCHLORITE, HYDRATED MIXTURE with not less than 5.5% but not more than 16% water	CALCIUM HYPOCHLORITE, HYDRATED MIXTURE with not less than 5.5% but not more than 16% water
Transport Hazard Class	5.1	5.1	5.1
Packaging Group	II or III (see ADG 7.5 for details)	II	II
Marine Pollutant		Yes	
Special Provisions*	223, 314, 322		

^{**} See ADG 7.5 for details

15. REGULATORY INFORMATION

Poisons Standard	Schedule 5
(Scheduling):	
APVMA Product Number:	56110
Listing in the Australian	Not applicable for APVMA registered products
Inventory of Chemical	
Substances (AICS)	

16. OTHER INFORMATION

ADG Australian Code for the Transport of Dangerous Goods by Road &

Rail Edition 7.5, 2017

AS/NZS Australian Standard/New Zealand Standard

CAS Number: Unique Chemical Abstracts Service Registry Number

EC₅₀: Ecotoxic Concentration 50% – concentration in water which is fatal to

50% of a test population (e.g. daphnia, fish species).

GHS: Globally Harmonized System of classification and labelling of

chemicals (GHS)

Hazchem Code: Emergency action code of numbers and letters that provide

information to emergency services, especially fire fighters

HCIS: Hazardous Chemical Information System

(http://hcis.safeworkaustralia.gov.au/HazardousChemical)

Product Name: Hy-Clor Super Shock 2KG Review Date: 25 August 2021

Version 3.0 Page 8 of 9



Safety Data Sheet Review Date: 25 August 2021

IARC: International Agency for Research on Cancer

LD₅₀: Lethal Dose 50% – dose which is fatal to 50% of a test population

(usually rats).

IDLH: Immediately dangerous to life or health (IDLH) is defined by the US

National Institute for Occupational Safety and Health (NIOSH)

LC₅₀: Lethal Concentration 50% – concentration in air which is fatal to 50%

of a test population.

NTP: National Toxicology Program (USA)

SDS: Safety Data Sheet

STEL: Short term exposure limit (STEL) means the time-weighted average

maximum airborne concentration of a substance calculated over a 15

minute period.

TWA: 8-hour Time-weighted average (TWA) means the maximum average

airborne concentration of a substance when calculated over an eight-

hour working day, for a five-day working week.

WES: Workplace exposure standard

UN Number: United Nations Dangerous Goods Number

References:

Work Safe Australia Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice (February 2016). The exposure standards comply with the Australian Workplace Exposure Standards for Airborne Contaminants. The Dangerous Goods Classification complies with the Australian Code for the Transport of Dangerous Goods by Road & Rail Edition 7.5, 2017. Other information from ChemIDPlus and linked databases and the European Chemicals Agency Classification and Labelling database. OECD SIDS.

Sections Revised: All

Replaces revision: 24 August 2016

Disclaimer

This Safety Data Sheet (SDS) has been prepared in compliance with the Work Safe Australia Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice (February 2016). The information in this SDS should be provided to all who will use, handle, store, transport, or otherwise be exposed to this product. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Hy-Clor Australia Pty. Limited shall not be held liable for any damage resulting from handling or from contact with the above product.

Copyright 2018 Hy-Clor Australia Pty. Limited. License granted to make unlimited paper copies for internal use only.

Product Name: Hy-Clor Super Shock 2KG Review Date: 25 August 2021

Version 3.0 Page **9** of **9**